

JM Climate Pro[®] A1100 Fiberglass Blowing Wool

Your home has been professionally insulated to provide superior thermal resistance.

Homeowner's Name _____ Date _____

Address _____

City _____ State _____ Zip _____

RECORD OF INSTALLATION

BLOWING WOOL				BATTS AND ROLLS		
<input type="checkbox"/> New Construction	If Retrofit:			R-VALUE	THICKNESS	AREA INSULATED
<input type="checkbox"/> Retrofit	Depth of Previous Insulation _____ in.			Ceilings	_____ in.	_____ sq. ft.
Number of bags used _____	Estimated R-value of Previous Installation _____			_____	_____ in.	_____ sq. ft.
Area Insulated _____ sq. ft.	Types of Previous Insulation in Attic _____			Walls	_____ in.	_____ sq. ft.
Thickness of Insulation _____ in.	_____			_____	_____ in.	_____ sq. ft.
R-value of Insulation _____	_____			Floors	_____ in.	_____ sq. ft.
				_____	_____ in.	_____ sq. ft.

CLIMATE PRO A1100 INSULATION

R-VALUE (HR•SQ.FT.°F/BTU)	*MINIMUM INSTALLED THICKNESS (IN.)	SETTLED THICKNESS (IN.)	MINIMUM WEIGHT	BAGS PER 1,000 SQ.FT.	** MAXIMUM NET COVERAGE (SQ.FT./BAG)
To obtain insulation resistance (R) of:	Installed insulation shall not be less than:	Expected thickness after long-term settling has occurred:	Weight per sq.ft. of installed insulation shall not be less than:	Minimum number of bags per 1,000 sq.ft. of net area shall not be less than:	Contents of this bag shall not cover more than:
13	4.75	4.75	0.173	5.4	184.6
19	7.00	7.00	0.256	8.0	125.0
22	8.00	8.00	0.301	9.4	106.3
26	9.25	9.25	0.357	11.2	89.6
30	10.50	10.50	0.416	13.0	77.0
38	13.25	13.25	0.534	16.7	59.9
44	15.00	15.00	0.631	19.7	50.7
49	16.75	16.75	0.711	22.2	45.0
60	20.00	20.00	0.895	28.0	35.8

* Determined using a Unisul Volu-Matic III blowing machine. The machine was set up in 3rd gear, with a 75% open gate and a 3" hose, blowing the wool out in a 10 ft. arc.

** Coverage without framing.

Insulation Contractor Signature _____ Date _____

Company _____ Address _____ Phone _____

Home Builder Signature _____ Date _____

Company _____ Address _____ Phone _____

